Diabetes Medical Plan

Saint Ignatius High School

Fax: (216) 651-6313

This plan should be completed by the student's physician and parent(s) or guardian and reviewed with the School Health Team. Copies should be kept in a place that is easily accessed by the school nurse and other relevant and authorized personnel.

Date of plan:	Effective dates:			
Student's name:	÷			
Date of birth:				
Grade:	Homeroom teacher:			
Type of diabetes: ☐ Type 1 ☐ Type 2		•		
Contact Information				
Mother/Guardian name:				
Address:				
Telephone: Home	Work	Cell		
Father/Guardian name:				
Address:				
Telephone: Home	Work	Cell		
Student's Doctor/Health Care Provider:				
Name:				
Address:				
Telephone:	Emergency Number:			
Other Emergency Contacts:				
Relationship:				
Telephone: Home				
Notify parent(s) or guardian or emergency				
8				

Diabetes Medical Management Plan Continued

Blood Glucose Monitoring				
Target range for blood glucose is □ 70-150 □ 70-180 □ Other				
Usual times to check blood glucose				
Times to do extra blood glucose checks (check all that apply) ☐ before exercise ☐ after exercise ☐ when student exhibits symptoms of hyperglycemia ☐ when student exhibits symptoms of hypoglycemia ☐ other (explain):				
Can student perform own blood glucose checks? ☐ Yes ☐ No				
Exceptions:				
Type of blood glucose meter student uses:				
Usual Lunchtime Dose Base dose of Humalog/Novolog /Regular insulin at lunch (circle type of rapid-/short-acting insulin used) is units or does flexible dosing using units/ grams carbohydrate. Use of other insulin at lunch: (circle type of insulin used): intermediate/NPH/lente units or basal/Lantus/Ultralente units.				
Insulin Correction Doses				
Parental authorization should be obtained before administering a correction dose for high blood glucose levels. Yes No				
units if blood glucose is to mg/dl				
units if blood glucose is to mg/dl				
units if blood glucose is to mg/dl				
units if blood glucose is to mg/dl				
units if blood glucose is to mg/dl				
Can student give own injections? ☐ Yes ☐ No Can student determine correct amount of insulin? ☐ Yes ☐ No Can student draw correct dose of insulin? ☐ Yes ☐ No				
Parents are authorized to adjust the insulin dosage under the following circum-				
stances:				
For Students With Insulin Pumps				
Type of pump: Basal rates: 12 am to				
to				
to				
Type of insulin in pump:				
Type of infusion set:				
Insulin/carbohydrate ratio: Correction factor:				

21001

Diabetes Medical Management Plan Continued

Student Pump Abilities/S	kills:	Needs A.	ssistance	e	
Count carbohydrates Bolus correct amount for Calculate and administer Calculate and set basal p Calculate and set tempor Disconnect pump Reconnect pump at infus Prepare reservoir and tub Insert infusion set Troubleshoot alarms and	rofiles ary basal rate ion set ing	☐ Yes☐ Yes	□ No		
For Students Taking On	ral Diabetes Medications				
Type of medication:	•			Timing:	*****
Other medications:				Timing:	
Meals and Snacks Eater	n at School				
Is student independent in	carbohydrate calculations a	nd manag	gement?	☐ Yes ☐ No	
Meal/Snack	Time		Food co	ontent/amount	
Breakfast					
Mid-morning snack					
Lunch	7	SEC		V , 1	
Mid-afternoon snack					W W W 180 18 18 18 18 18 18 18 18 18 18 18 18 18
Dinner					
Snack before exercise?	☐ Yes ☐ No				
Snack after exercise?	☐ Yes ☐ No	11888 X 1 C 1			
Other times to give snag	cks and content/amount:				
Preferred snack foods:					
Foods to avoid, if any:					
Instructions for when for	od is provided to the class (e.g., as pa	art of a c	class party or food san	npling event):
Exercise and Sports			***************************************		
A fast-acting carbohydra available at the site of ex				-	should be
Restrictions on activity,	if any:		1,200		
Student should not exerc	cise if blood glucose level	is below		mg/dl or above	mg/dl

Diabetes Medical Management Plan Continued

Hypoglycemia (Low Blood Sugar)	
Usual symptoms of hypoglycemia:	
Treatment of hypoglycemia:	
Glucagon should be given if the student is unconscious, h Route, Dosage, site for glucagon injection	
If glucagon is required, administer it promptly. Then, cal parents/guardian.	l 911 (or other emergency assistance) and the
Hyperglycemia (High Blood Sugar)	
Usual symptoms of hyperglycemia:	
Treatment of hyperglycemia:	
Urine should be checked for ketones when blood glucose	levels are above mg/dl.
Treatment for ketones:	
Supplies to be Kept at School Blood glucose meter, blood glucose test strips, batteries for meterLancet device, lancets, gloves, etcUrine ketone stripsInsulin vials and syringes	Insulin pump and suppliesInsulin pen, pen needles, insulin cartridgesFast-acting source of glucoseCarbohydrate containing snackGlucagon emergency kit
Signatures This Diabetes Medical Management Plan has been ap	proved by:
Student's Physician/Health Care Provider	Date
	and carry out the diabetes care tasks as outlined by n. I also consent to the release of the information
care of my child and who may need to know this informa	tion to maintain my child's health and safety.
Acknowledged and received by:	
Student's Parent/Guardian	Date
Student's Parent/Guardian	Date